



SEQUENCE LISTING

<110> The University of Melbourne  
<120> Small Cyclic Mimics of Brian-Derived Neurotrophic Factor (BDNF)  
<130> FP12888  
<140> PCT/AU00/00641  
<141> 2000-06-07  
<150> AU PQ0848  
<151> 1999-06-08  
<160> 38

<170> PatentIn version 3.1

<210> 1  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<400> 1

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 2  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLATION

<220>  
<221> MOD\_RES  
<222> (14)..(14)

<223> AMIDATION

<400> 2

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 3

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(12)

<223>

<400> 3

Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln  
1 5 10

<210> 4

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(12)

<223>

<400> 4

Cys Lys Val Pro Val Ser Lys Gly Gln Leu Lys Cys  
1 5 10

<210> 5

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<400> 5

Cys Val Pro Val Ser Lys Gly Gln Leu Cys  
1 5 10

<210> 6

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(8)

<223>

<400> 6

Cys Pro Val Ser Lys Gly Gln Cys  
1 5

<210> 7

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 7

Cys Ala Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 8

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 8

Cys Glu Ala Val Pro Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 9

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 9

Cys Glu Lys Ala Pro Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 10

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 10

Cys Glu Lys Val Ala Val Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 11

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(14)

<223>

<400> 11

Cys Glu Lys Val Pro Ala Ser Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 12

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1) .. (14)

<223>

<400> 12

Cys Glu Lys Val Pro Val Ala Lys Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 13

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1) .. (14)

<223>

<400> 13

Cys Glu Lys Val Pro Val Ser Ala Gly Gln Leu Lys Gln Cys  
1 5 10

<210> 14

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1) .. (14)

<223>

<400> 14

Cys Glu Lys Val Pro Val Ser Lys Ala Gln Leu Lys Gln Cys  
1 5 10

<210> 15  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<400> 15

Cys Glu Lys Val Pro Val Ser Lys Gly Ala Leu Lys Gln Cys  
1 5 10

<210> 16  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<400> 16

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Ala Lys Gln Cys  
1 5 10

<210> 17  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<400> 17

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Ala Gln Cys  
1 5 10

<210> 18  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(14)  
<223>

<400> 18

Cys Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Ala Cys  
1 5 10

<210> 19  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (3)..(3)  
<223> to residue 3 of SEQ ID NO 20

<400> 19

Cys Val Cys Val Ser Lys Gly Gln Leu Cys  
1 5 10

<210> 20  
<211> 10  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (3)..(3)

<223> to residue 3 of SEQ ID NO 19

<400> 20

Cys	Val	Cys	Val	Ser	Lys	Gly	Gln	Leu	Cys
1				5					10

<210> 21

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (4)..(4)

<223> to residue 4 of SEQ ID No 22

<400> 21

Cys	Val	Pro	Cys	Ser	Lys	Gly	Gln	Leu	Cys
1				5					10

<210> 22

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (4)..(4)

<223> to residue 4 of SEQ ID No 21



<400> 22

Cys Val Pro Cys Ser Lys Gly Gln Leu Cys  
1 5 10

<210> 23

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (5)..(5)

<223> to residue 5 of SEQ ID NO 24

<400> 23

Cys Val Pro Val Cys Lys Gly Gln Leu Cys  
1 5 10

<210> 24

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> DISULFID

<222> (5)..(5)

<223> to residue 5 of SEQ ID NO 23

<400> 24

Cys Val Pro Val Cys Lys Gly Gln Leu Cys  
1 5 10

<210> 25

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> derivitised with acetamidomethyl

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<400> 25

Cys	Val	Cys	Val	Ser	Lys	Gly	Gln	Leu	Cys
1				5					10

<210> 26

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> DISULFID

<222> (1)..(10)

<223>

<220>

<221> MISC\_FEATURE

<222> (4)..(4)

<223> derivitised with acetamidomethyl

<400> 26

Cys	Val	Pro	Cys	Ser	Lys	Gly	Gln	Leu	Cys
1				5					10

<210> 27

<211> 10

<212> PRT

<213> Artificial Sequence

<220>

<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MISC\_FEATURE

<222> (5)..(5)

<223> derivitised with acetamidomethyl

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<400> 27

Cys Val Pro Val Cys Lys Gly Gln Leu Cys  
1 5 10

<210> 28  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLTATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (11)..(11)  
<223> to residue 11 of SEQ ID No 29

<400> 28

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu  
1 5 10

<210> 29  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (11)..(11)  
<223> to residue 11 of SEQ ID No 28

<400> 29

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys  
1 5 10

<210> 30  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (5)..(5)  
<223> to residue 5 of SEQ ID No 31

<220>  
<221> DISULFID  
<222> (11)..(11)  
<223> to residue 11 of SEQ ID No 31

<400> 30

Cys Val Pro Val Cys Lys Gly Gln Leu Cys Glu  
1 5 10

<210> 31  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLTATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (5)..(5)  
<223> to residue 5 of SEQ ID No 30

<220>  
<221> DISULFID  
<222> (11)..(11)  
<223> to residue 11 of SEQ ID No 30

<400> 31

Cys Val Pro Val Cys Lys Gly Gln Leu Cys Lys  
1 5 10

<210> 32  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> X is 6-amino hexanoyl at residue 1

<220>  
<221> DISULFID  
<222> (1)..(4)  
<223>

<400> 32

Xaa Leu Leu Ala  
1

<210> 33  
<211> 4  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> X is 6-amino hexanoyl at residue 1

<400> 33

Xaa Leu Leu Ala  
1

<210> 34  
<211> 5  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> DISULFID  
<222> (1)..(5)  
<223>

<400> 34

Ala Pro Lys Lys Ala  
1 5

<210> 35  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<400> 35

Glu Lys Val Pro Val Ser Lys Gly Gln Leu Lys Gln  
1 5 10

<210> 36  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> amide bond linker to residue 11 of SEQ ID 37

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<400> 36

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Glu  
1 5 10

<210> 37  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>

<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLTATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> amide bond linker to residue 11 of SEQ ID 36

<400> 37

Cys Val Pro Val Ser Lys Gly Gln Leu Cys Lys  
1 5 10

<210> 38  
<211> 11  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Sequence derived from amino acid sequence for BDNF

<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> ACETYLTATION

<220>  
<221> MOD\_RES  
<222> (11)..(11)  
<223> AMIDATION

<220>  
<221> DISULFID  
<222> (1)..(10)  
<223>

<220>  
<221> DISULFID  
<222> (5)..(5)  
<223> disulphide bond between residue 5 of SEQ ID 39



<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> amide bond between residue 11 and residue 11 of SEQ ID 39

<400> 38

Cys	Val	Pro	Val	Cys	Lys	Gly	Gln	Leu	Cys	Glu
1				5					10	